


dBm Ref Level : -42 dBm
Ref Offset : 0.0 dB

Detector : Auto Peak (Auto)
Trigger Mode : Free Run
Trace : Clear / Write

RBW : 300 kHz
VBW : 10 kHz
SWT : 100 ms



| Trace | |
|-----------|------------|
| File Name | : 902.101 |
| Name | : Analyzer |
| Ref Level | : -42 dBm |
| Range | : 5 dB/div |
| Result | : --- |
| Averaging | : --- |

| Status | |
|--------------------|--------------------|
| Channel Table | : --- |
| Channel | : --- |
| Center Frequency | : 915 MHz |
| Frequency Offset | : 0 Hz |
| Span | : 30 MHz |
| Ref Offset | : 0.0 dB |
| RF Attenuator | : 0 dB |
| Preamplifier | : Off |
| Dynamic Range | : Low Distortion |
| RF Input | : 50 Ohm |
| VSWR-Bridge | : No Bridge |
| RBW | : 300 kHz |
| VBW | : 10 kHz |
| SWT | : 100 ms |
| Trace Mode | : Clear / Write |
| Trace Math | : Off |
| Detector | : Auto Peak (Auto) |
| Trigger Mode | : Free Run |
| Trigger Level | : --- |
| Trigger Delay | : --- |
| Upper Limit | : --- |
| Lower Limit | : --- |
| External Reference | : Disabled |
| Transducer | : --- |
| Transducer (dB) | : --- |
| Date | : --- |
| Time | : --- |
| Instrument | : FSH03 - 103116 |
| Operator | : --- |

Start Frequency : 900 MHz
Center Frequency : 915 MHz
Stop Frequency : 930 MHz
Span : 30 MHz

Analyzer